

# Tracked Screen

The Liming Heavy Industry(shanghai) range of **tracked screen** and scalping equipment provides customer solutions whatever the industry, and whatever the application. The range encompasses three-way split screeners, the world's only range of tracked double screens, scalpers and triple deck screens. They excellent capacity and easy adaptability to different crushing and screening processes guarantee suitability for a wide range of quarrying and contracting applications. The track-mounted screens are suitable for the quarrying, construction and recycling, surface and underground mining industries. The Liming Heavy Industry(shanghai) range can process sand, gravel, virgin and secondary aggregate, coal and landfill waste - in fact **tracked screens** can be found processing virtually any material as long as it can be sized and sorted.



## Tracked Screen Model Specifications

Classification of Items	A Type Dual Power Crawler Type Mobile Feeding and Screening Plant			B Type Dual Power Crawler Type Mobile Sorting and Screening Plant	
	Model	Y3S154 GL	Y3S184 GL	Y3S186GL	Y3S184 BL

Vibrating Feeder	3YZS15 48	3YZS184 8	3YZS1860	3YZS18 48	3YZS1860
------------------	--------------	--------------	----------	--------------	----------

---

Feeding Hopper	Belt Conveyor Feeding	Sorting Conveyor Feeding
----------------	-----------------------	--------------------------------

---

Feeding Belt Conveyor	B1000× 4M	B1000×4 M	B1200×4.5M	B1200× 3M	B1200×3 M
-----------------------	--------------	--------------	------------	--------------	--------------

---

Belt Conveyor	Main Belt Conveyor	B800×5 M	B1000×5 M	B1000×5M	B1200× 8M	B1200×9 M
------------------	--------------------	-------------	--------------	----------	--------------	--------------

---

Belt Conveyor	Under Vibrating Screen	B800×4. 5M	B1000×4 .5M	B1000×5.5M	B1000× 7M	B1000×8 M
------------------	---------------------------	---------------	----------------	------------	--------------	--------------

---

Left Conveyor	Side-opening Belt	B500×7. 3M	B500×7. 3M	B650×7.3M	B500×7. 3M	B650×7.3 M
------------------	----------------------	---------------	---------------	-----------	---------------	---------------

---

---

Right Side-opening	Belt B500×7.	B500×7.	B650×7.3M	B500×7.	B650×7.3
Conveyor 1	3M	3M		3M	M

---

Right Side-opening	Belt B500×7.	B500×7.	B650×7.3M	B500×7.	B650×7.3
Conveyor 2	3M	3M		3M	M

---

Genset (kW)	120	120	120	120	120
-------------	-----	-----	-----	-----	-----

---

Transportation Length (mm)	12300	12300	13500	12000	13200
----------------------------	-------	-------	-------	-------	-------

---

Transportation Width (mm)	2700	2920	2920	3150	3150
---------------------------	------	------	------	------	------

---

---

Working Height (mm)	3900	3900	3900	3600	3700
---------------------	------	------	------	------	------

---

Working Weight (t)	28	30	34	32	35
--------------------	----	----	----	----	----

---

#### **Tracked Screen Features:**

- [Track-mounted mobile screens](#) have heavy duty frames and proven components to give long service life in most demanding screening jobs.
- With the track-mounted screen, you can choose flexibly and accurately the end product fractions to be screened

#### **Tracked Screen Benefits:**

- Excellent screening capacity.
- Operator friendliness thanks to intelligent process steering.
- Easy to move from site to site.
- World wide spares & screen media back up.

#### **Contact Us:**

Thank you for your interest in Liming Heavy Industry. Please feel free to use any of the methods below to get in touch with us.

Address: No. 201-34, Huaxia 3rd Road, Pudong New Area, Shanghai, China.

Postcode: 201200

Tel:

0086-21-33901608

Fax:

0086-21-58377628

Email:

[info@shcrusher.com](mailto:info@shcrusher.com)

MSN Online:

[shcrusher@hotmail.com](mailto:shcrusher@hotmail.com)